techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TC-Y30 IDE HDD Wechselrahmen / TC-Y30 IDE HDD mobile rack

Techsolo Europa B.V. | 2006

Produktbeschreibung
Product description

TC-Y30

techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TC-Y30 IDE HDD mobile rack

Mobile rack

This mobile rack with one ventilation system is suitable for UDMA 33/66/100/133. The case consists of plastic. The integral fan increases the life of your hardware in this rack. The TC-Y30 is perfect for people who need to change often their hard disks. With this mobile rack you can change your hard disks whenever you want.

Technical data:

· IDE mobile rack
· For UDMA 33/66/100/133
· Fitting to 5,25” bay

Package contnet:

· Mobile rack
· Integrated fan
· keys

Logistic data:

measures: rack: 120x120x25 mm
compartment: 195x120x40 mm
packing measures: 225x155x50 mm
weight: 15,5 kg per packing unit
packing unit: 30 pcs
packing units per palette: 24

Disclaimer:

The pictures of the product can be different from the product itself. The court of law is impossible. You don’t have the right to claim on anything by this data sheet. If you are using this sheet you agree to these conditions.

techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TC-Y30 IDE Festplatten Wechselrahmen

Mobiler Wechselrahmen

Dieser Wechselrahmen mit einem Kühler ist passend für UDMA 33/66/100/133. Das Gehäuse besteht aus hochwertigem Kunststoff. Der integrierte Kühler schützt Ihre Festplatte vor Überhitzung und sorgt somit für ein längeres Leben der eingebauten Hardware. Um diesen Wechselrahmen betreiben zu können wird ein freier IDE Anschluss vorausgesetzt. Nachdem der IDE-Wechselrahmen eingebaut ist, lassen sich Ihre Festplatten problemlos austauschen. Damit diese niemand unerlaubt wechselt ist ein Schloss integriert.

Technische Daten:

· IDE Wechselrahmen
· Für UDMA 33/66/100/133
· Passend für 5,25“ Schacht

Lieferumfang:

· Mobile rack
· Integrierter Lüfter
· Schlüssel

Logistische Daten:

Abmessungen: Rahmen: 220x145x40 mm
Einschub: 195x120x40 mm
Abmessungen Verpackung: 225x155x50 mm
Gewicht: 15,5 kg pro VPE
Verpackungseinheit: 30 Stück
Verpackungseinheiten auf Palette: 24

Disclaimer:

Die Abbildungen können vom Original abweichen. Sie können durch dieses Datenblatt keinerlei Ansprüche geltend machen.
Der Rechtsweg ist ausgeschlossen. Wenn Sie dieses Datenblatt verwenden, so stimmen Sie diesen Vereinbarungen zu.